

Optional Accessories - Microphones and Conference Systems

Product Series	Model	Series Picture	Optional Accessories
UHF Wireless Microphone Systems	WT-5800		
	WT-5805		
	WT-4820		
	WM-5325		
	Headset Microphones	(WM-5325H, WM-5325A)	
	(Series on page 98-101)	WD-5800 (for WT-4800, WT-5805, WT-4820, S5 Series)	
Infrared Wireless Microphone System	IR-200M		
	IR-300M		
	IR-310M		
	IR-700D		
	IR-702T (MB-WT3, MB-WT4 only)		
(Series on page 109)			
Boundary Microphone	EM-800		
(Series on page 94)			
Infrared Conference Systems (Series on page 81)	TS-920RC		
	TS-820/TS-920 Series		
(Series on page 82)	TS-921		
	TS-821		
	TS-922		
	TS-822		
Conference Systems TS-800/TS-910 Series (Series on page 88)	TS-770		
(Series on page 84)	TS-800 UL / TS-910 UL		
	TS-801; TS-811		
	TS-802; TS-812		
	TS-901; TS-911		
	TS-902; TS-912		
TS-820/TS-920 Series TS-800/TS-910 Series (Series on page 86)	TS-905 / TS-907		

Please see the Wireless Microphone Selection Guide on page 106. Wireless Microphone Ordering Information is on page 105)

Optional Accessories - Rack Mount Equip., Network Audio...

Product Series	Model	Series Picture	Optional Accessories
Network Audio	NX-100 NX-300 (YC-850 only)		
(Series on page 74)			
Program Timer	TT-104B		
(Series on page 74)			
Digital Message Repeater	EV-20R		
	EV-700		
(Series on page 71)			
AM/FM Synthesized Tuner	DT-940 UL		
(Series on page 73)			

Optional Accessories - Mixers/Amplifiers

Product Series	Model	Series Picture	Optional Accessories
A-700 Series	A-706, A-712, A-724		
(Series on page 47)			
A-800 Series	A-812 A-824, A-848		
(Series on page 46)			
A-900 Series	A-903MK2, A-906MK2, A-912MK2, M-900MK2		
(Series on page 36)/40			
P-900 Series	P-906MK2, P-912MK2		
	P-924MK2		
(Series on page 37)			
A-5000 Series	A-5006, A-5012		
(Series on page 35)			
BG-2000	BG-2035, BG-2060, BG-2120, BG-2240D-AM		
(Series on page 27)			
BA-200 / BG-200 Series	BG-220, BG-235		
	BA-235, BA-260		
(Series on page 28-29)			
DA Series	DA-250DH, DA-250FH, DA-500F-HL		
(Series on page 44)			
Micro Amplifier	AV-20D AV-60S		
(Series on page 45)			
All Models	PF-013B Perforated Vent Panel	[All Models]	
(Series on page 46)			

Speaker Mounting Accessories

Ceiling Speakers	PC-580RU / PC-580RVU	PC-580S	PC-580SBT	PC-1860S	PC-648R
<i>(Series on page 2)</i>					
Installation Configurations					
Flush Mount Back Box	HY-BC580U	Q-BB-580S			
Back Box	BB-580	Q-BB580W		BB-1864	
Baffle				HY-RB1860 <i>for PC-1860S only</i>	
Mounting Channel	Q-HY-TB2				

Horn Speakers	
Installation Configurations	<div style="display: flex; justify-content: space-between;"> <div> <p>SC-615/SC-615T; SC-630/SC-630TU; SC-651</p> <p><i>(Series on page 5)</i></p> </div> <div> <p>TH-660</p> <p><i>(Series on page 6)</i></p> </div> </div>
Swivel Bracket	YS-151S

Wall Mount Surface Speakers	
Installation Configurations	<p>BS-1030B BS-1030W</p> <p><i>(Series on page 7)</i></p>
Ceiling Mounting Bracket	SP-410
Wall Mounting Bracket	SP-420

Interior Design Speakers <i>(Series on page 9)</i>				
Installation Configurations	H-1 EX	H-2 EX H-2WP EX	H-3 EX H-3 WP EX	HB-1
Ceiling Mount Bracket	Ceiling Mount Bracket			Matching Transformer
Matching Transformer	HY-H1			MT-S0601
Optional EQ Modules	E-04R	E-05R	E-06RB**	E-07R

Speaker Mounting Accessories

Wide-Dispersion Box Speakers <i>(Series on page 10)</i>				
Installation Configurations	F-1000BT F-1300BT	F-1000WT F-1300WT	F-1000BTWP F-1300BTWP	F-1000WTWP F-1300WTWP
Cluster Bracket / Accessories	HY-CL10B		YS-60B** Pole Mounting Band	
Ceiling Mounting Bracket	HY-CM10B	HY-CM10W	HY-CM10B	HY-CM10W
Board Hanger Bracket	HY-BH10B			

Wide-Dispersion Box Speakers <i>(Series on page 10)</i>				
Installation Configurations	F-2000BT	F-2000WT	F-2000BTWP	F-2000WTWP
Cluster Bracket / Accessories	YS-60B** Pole Mounting Band	HY-CL20B Cluster Bracket	SP-131 Speaker Mount Bracket	
Ceiling Mounting Bracket	HY-CM20B	HY-CM20W	HY-CM20B	HY-CM20W

Speaker Mounting Accessories

Ceiling Speakers - F Series <small>(Series on page 12-13)</small>						
	F-122C F-122CU2	F-1522SC	F-2322C F-2322CU2	F-2352C** F-2352CU2	F-2352SC	F-2852C F-2852CU2
Installation Configurations						
Tile Support Rails	HY-TB1 Q-HY-TB2			HY-TB1		Q-HY-TB2
Ceiling Reinforcement Ring	HY-RR2	HY-RR1		HY-RR2		7020116720
Trim Ring	HY-TR1			HY-TR1		
Black (Suspension) Back Can	HY-BC1			HY-BC1		
White (Suspension) Back Can	Q-HY-BC1W			Q-HY-BC1W		
Back Can <small>(SHALLOW BACK CAN Allows the F-2352SC to be plenum rated)</small>					Q-HY-BC2	Q-HY-BC28W
Surface Mount Bracket	HY-AH1			HY-AH1		
C2 Version Tile Bridge <small>(2 pcs/pkg)</small>	5070723950			5070723950 <small>(Supplied with CU2 version)</small>		5070724030
Other Configurations	E-03R F-DRYWALLKIT Q-F122GRBK			F-DRYWALLKIT		Q-F122GRBK <small>(for F-122C and F-2352C only)</small>

**Note: F-2352SC: When using the HY-TB1 the HY-RR2 is required. Supplied with CU2 versions.

**Note: F-2352SC: When using the HY-TR1 the HY-RR2 is required. Supplied with CU2 versions.

**Note: F-2352SC: When using the HY-AH1 the HY-RR2 is required.

Ceiling Subwoofer	
Installation Configurations	FB-3862CU <small>(Series on page 12)</small>
Surface Pendant Mount Enclosure	HY-BC2W Subwoofer only

Speaker Mounting Accessories

Line Array Speakers Type C <small>(Series on page 16)</small>		
	Indoor Use SR-C8L/SR-C8S/SR-C15B	Outdoor Use SR-C8LWP / SR-C8SWP / SR-C15BWP
Installation Configurations		
Rigging Frame	SR-RF8	SR-RF8WP
Cluster Bracket		SR-CL8
Rigging Support Bracket		SR-SB8
Tilt Joint Plate		SR-TP8

<small>(Series on page 17)</small>	Line Array Speakers Type D	
	SR-D8-M	SR-D8-S
Installation Configurations		
Extension Plate	SR-D8EP	
Fixing Bar	SR-D8FB	
Hoisting Bracket	SR-D8HB	
Wall Mount Adapters	SR-D8CL	SR-D8CS, SR-D8WB

<small>(Series on page 18)</small>	Line Array Speakers Type H			
	SR-H2L	SR-H2S	SR-H3L	SR-H3S
Installation Configurations				
Extension Plate	SR-EP3		SR-EP3	
Wall Mount Bracket	SR-WB3			
Wall Tilt Mount Bracket	SR-TB3			
Flying Bracket	SR-FB8			
Speaker Stand Adapter Matching Transformer	SR-SA3 Speaker Stand Adapter	MT-S0301 Matching Transformer		

Speaker Mounting Accessories

<i>(Series on page 18)</i> Line Array Speakers Type S				
Installation Configurations	SR-S4L	SR-S4LWP	SR-S4S	SR-S4SWP
Extension Plate	SR-EP4	SR-EP4WP	SR-EP4	SR-EP4WP
Wall Tilt Bracket	SR-TB4	SR-TB4WP	SR-TB4	SR-TB4WP
Wall Mounting Bracket	SR-WB4	SR-WB4WP	SR-WB4	SR-WB4WP
Stand Adapter	SR-SA4			
Flying Bracket	SR-FB4			
Floor Stand	SR-FS4			
Protection Pad	SR-PP4			
Matching Transformer	MT-S0601			

<i>(Series on page 23)</i> Line Array Speakers Type T	
Installation Configurations	SR-T5
Wall Pan Bracket	SR-PB5
Matching Transformer	MT-S0601

Speaker Mounting Accessories

<i>(Series on page 21)</i> Compact Array Speakers (HX-5 Series)						
Installation Configurations	HX-5B	HX-5W	HX-5B-WP	HX-5W-WP	FB-120B	
Rigging Frame	HY-PF1B	HY-PF1W	HY-PF1WP		HY-PF1B	
Ceiling Mounting Bracket	HY-CW1B	HY-CW1W	HY-CW1WP		Low-Pass Filter Module	
Mounting Bracket	HY-WM1B HY-WM2B	HY-WM1W HY-WM2W	HY-WM1WP	HY-WM2WP		
Extension Bracket	HY-CN1B	HY-CN1W	HY-CN1B-WP	HY-CN1W-WP		
Speaker Stand Adapter	HY-ST1					
Matching Transformer	MT-200				MT-S0601	

<i>(Series on page 24)</i> Coaxial Array Speakers				
Installation Configurations	HS-1200BT	HS-1200WT	HS-1500BT	HS-1500WT
Wall/Ceiling Mount Bracket Vertical Installation	HY-1200VB	HY-1200VW	HY-1500VB	HY-1500VW
Wall/Ceiling Mount Bracket Horizontal Installation	HY-1200HB	HY-1200HW	HY-1500HB	HY-1500HW
Ceiling Mount Bracket	HY-C0801		HY-C0801W	
Wall Mount Bracket	HY-W0801		HY-W0801W	

Speaker Mounting Accessories

Compact Array Speakers (HX-7 Series)						
(Series on page 19)	HX-7B	HX-7W	HX-7B-WP	HX-7W-WP	FB-150B	FB-150W
Installation Configurations						
Rigging Frame	 HY-PF7B	 HY-PF7W			 HY-PF7B	 HY-PF7W
Rigging Bracket	 HY-VM7B	 HY-VM7W	 HY-TM7BWP	 HY-TM7WWP	Low-Pass Filter Module E-07S	
Wall Mounting Bracket	 HY-WM7B <i>(HY-VM7B required)</i>	 HY-WM7W <i>(HY-VM7W required)</i>	 HY-MS7BWP	 HY-MS7WWP		
Ceiling Mount Bracket	 HY-C0801 <i>(HY-VM7B required)</i>	 HY-C0801W <i>(HY-VM7W required)</i>				
Speaker Connection Bracket	 HY-CN7B-WP	 HY-CN7W-WP	 HY-CN7B-WP	 HY-CN7W-WP		
Angle Adjustment Bar <i>(3 pieces required for 60° mode adjustment)</i>	 HY-60DB-WP	 HY-60DW-WP	 HY-60DB-WP	 HY-60DW-WP		
Speaker Stand Adapter	 HY-ST7					
Matching Transformer	 MT-200	 Matching Transformer Adapter HY-MT7			 MT-S0601	

NOTE: for wall mounting bracket HY-WM7B/W, it requires HY-VM7B/W rigging bracket
NOTE: for ceiling mount bracket HY-C0801, it requires HY-VM7B/W rigging bracket

Optional Accessories: Megaphones

Product Series	Model	Series Picture	Optional Accessories
Megaphone	ER-604W		 WH-4000H
	ER-1203, ER-1206, ER-1206W, ER-1206S		 SP-1100
	ER-2230W, ER-2930W		 DM-1300US WTU-4800 <i>(ER-2930W)</i>

(Series on page 115)

Amplifier Selection Guide

Model Number	Power	Inputs				Outputs							Rack Ears	Page		
		Mic	Aux	Tel	Module	70V	25V	Record/Bridge/Line	Pre-Amp	4 ohm	8 ohm	MOH				
A-2060 CU	60W															
A-2120 CU	120W															
A-2240 CU	240W															
A-706	60W															
A-712	120W															
A-724	240W															
A-812D	120W															
A-824D	240W															
A-848D	480W															
A-903M K2	30W															
A-906M K2	60W															
A-912M K2	120W															
A-9060DHM2	60W x 2															
A-9060SM2	60W x 2															
A-9120DHM2	120W x 2															
A-9120SM2	120W															
A-9240SHM2	240W															
AV-20D	20W x 2															
AV-60S	60W															
BA-235	35W															
BA-260	60W															
BG-220	20W															
BG-235	35W															
BG-2035	35W															
BG-2060	60W															
BG-2120	120W															
BG-2240D	240W															
BG-2480D	480W															
CA-115	15W															
CA-130	30W															
CA-160	60W x 2															
DA-250F	See DA power output chart below															
DA-250FH	See DA power output chart below															
DA-250D	See DA power output chart below															
DA-250DH	See DA power output chart below															
DA-500F-HL	See DA power output chart below															
DA-550F	See DA power output chart below															
MA-725F-AM	250W x 4															
MM-700F-AM	See DA power output chart below															
P-906M K2	60W															
P-912M K2	120W															
P-924M K2	240W															
P-9060DH	60W x 2															
P-9120DH	120W x 2															

*Transformer-Isolation for Telephone Paging Applications (Input #1)
** Selectable

DA AMPLIFIER POWER OUTPUT CHART

MODEL	POWER OUTPUT
DA-250D	2x 250W (4 ohms) 2x 170W (8 ohms) 1x 500W bridged (8 ohms)
DA-250DH	2x 250W (70V) 1x 500W bridged (140V)
DA-250F	4x 250W (4 ohms) 4x 170W (8 ohms) 2x 500W bridged (8 ohms)
DA-250FH	4x 250W (70V) 2x 500W bridged (140V)
DA-500F-HL	4x 500W (70V) 2x 1000W bridged (140V) 4x 550W (8 ohm) 4x 100W (4 ohms) 2x 1100W (16 ohms)
DA-550F	4x 550W (4 ohms) 4x 350W (8 ohms) 2x 1100W bridged (8 ohms)